



Gooch & Housego

DEVICE SPECIFICATIONS

MODEL NUMBER:

13389-BR

DOCUMENT NUMBER: 56A04902C

<u>PARAMETER</u>	<u>SPECIFICATION</u>
Interactive Material	SiO ₂
Acoustic Mode	longitudinal
Operating Wavelength	Used for Various λ Specifications shown for 633 nm
Window Configuration	Brewster, $\lambda/10$ over acoustic aperture
Static Transmission	>99 %
Operating Frequency	389 MHz
Diffraction Efficiency	>5.5 % @ 500 mW
Light Polarization	Linear, Perpendicular to Acoustic Propagation
Acoustic Aperture Size	60 μm in air
Rise Time	<6 ns
Optical Waist Size to achieve Rise Time	44 μm
Deflection Angle	41 mrad @ 633 nm
RF Power Level Average Peak	500 mW 10 watts peak, 5 % duty cycle with 10 ns pulse
Impedance	50 ohms
VSWR	<1.5:1 @ 389MHz, <6:1 @ 299, 479 MHz
Package:	53A5314
Operating Manual: Use Latest Revision.	51A07196
Acceptance Test Procedure:	42A14786
Acceptance Test Results Form:	52A03226
Recommended Drivers:	64389-SYN-9.5-X

For More Information, Contact: Sales@GoochandHousego.com www.goochandhousego.com

As part of our policy of continuous product improvement we reserve the right to change specifications at any time.




光技術をサポートする

株式会社オプトサイエンス

<http://www.optoscience.com>

東京本社 〒160-0014 東京都新宿区内藤町1番地 内藤町ビルディング
TEL:03(3356)1064 FAX:03(3356)3466 E-mail:info@optoscience.com
大阪支店 〒532-0011 大阪市淀川区西中島7-7-2 新大阪ビル西館
TEL:06(6305)2064 FAX:06(6305)1030 E-mail:osk@optoscience.com
名古屋営業所 〒450-0002 名古屋市中村区名駅2-37-21 東海ソフトビル
TEL:052(569)6064 FAX:052(569)8064 E-mail:ngo@optoscience.com

NOTE: V-GROOVE ORIENTATION PERPENDICULAR TO BEAM



For More Information, Contact: Sales@GoochandHousego.com www.goochandhousego.com

As part of our policy of continuous product improvement we reserve the right to change specifications at any time.