



Gooch & Housego

DEVICE SPECIFICATIONS

MODEL NUMBER:

45125-2/10-.355-I

DOCUMENT NUMBER: 56A12372B

<u>PARAMETER</u>	<u>SPECIFICATION</u>
Interactive Material	Crystal Quartz
Acoustic Mode	Longitudinal
Operating Wavelength	355 nm
Window Configuration	AR Coated
Static Transmission	>97 %
Operating Frequency	100 to 150 MHz.
Intensity Variation	< 1 dB
Diffraction Efficiency	>75 %, midband
Light Polarization	Linear, perpendicular to acoustic propagation
Acoustic Aperture Size	2 X 10 mm
Process Time	1.25 μ s with 7.2 mm beam size in acoustic direction
Resolution (T.BW product)	60 spots
Δ Deflection Angle	3 mrad
Deflection Angle	7.7 mrad @ 125 MHz
RF Power Level	4 watts
Impedance	50 ohms
VSWR	<1.5:1 across bandwidth
Package:	53B1289
Recommended Driver:	

Analog System Voltage Controlled Oscillator: 64090-150-7ASVCO

Analog Module Voltage Controlled Oscillator: 64090-150-7AMVCO

For More Information, Contact: Sales@GoochandHousego.com www.goochandhousego.com

As part of our policy of continuous product improvement we reserve the right to change specifications at any time.





光技術をサポートする

株式会社オプトサイエンス

<http://www.optoscience.com>

東京本社 〒160-0014 東京都新宿区内藤町1番地 内藤町ビルディング
TEL:03(3356)1064 FAX:03(3356)3466 E-mail:info@optoscience.com
大阪支店 〒532-0011 大阪市淀川区西中島7-7-2 新大阪ビル西館
TEL:06(6305)2064 FAX:06(6305)1030 E-mail:osk@optoscience.com
名古屋営業所 〒450-0002 名古屋市中村区名駅2-37-21 東海ソフトビル
TEL:052(569)6064 FAX:052(569)8064 E-mail:ngo@optoscience.com

Mechanical Dimensions:
Dimensions in inches and [mm]



For More Information, Contact: Sales@GoochandHousego.com www.goochandhousego.com

As part of our policy of continuous product improvement we reserve the right to change specifications at any time.