compact IP66 camera enclosure





Benefits:

- For Flir Ax5 (new and old version)
- For cameras with special shape
 - e.g. Tamron MP1010M
- Compact size
- Small dead weight
- High IP protection class
- Flexible camera positioning
- High chemical resistance
- Vibration-proof mounting
- Camera mount included
- Good heat dissipation



Techn	ical	Deta	ils:

Germanium

Window Seal

Protection Class

Acrylic, uncoated

Acrylic, double sided ARC

Max. Camera Size (w x h)	39 x 53mm	Weight (without camera mount)	Approx. 660g (Ax5)		
Max. Lens Diameter	55mm	Enclosure Material	Anodized Aluminum		
Inner Length	178mm (Ax5)	Enclosure Seals	NBR		
Enclosure Dimensions	66 x 66 x 190mm (Ax5)				
(w x h x l, without cable gland)		Cable Gland Aperture	22mm (Rear Wall A)		
		(max. connector size)	26.5mm (Rear Wall C)		
		Cable Diameter	Self drilling (Rear Wall C)		
Window Aperture	45mm	Cable Gland Seal	TPE		
Standard Window	BK7, double sided ARC				
IR Mirror	Order Number: 20.000.010				
Saphire	Order Number: 20.000.016	-			

Order Number: 20.000.017

Order Number: 20.000.058 Order Number: 20.000.029

FPM

IP66 (Nema 4)



Special mount for the new Flir Ax5 camera with lenses from 7.5mm to 19mm focal length





Custom Color Gecko for Tamron MP1010M

Gecko for Ax5 V2016

Order Numbers (please specify camera type!):

Product Description	Order Number
Gecko, Germanium Window, Rear Wall C, for Flir Ax5 up to 19mm focal length	24.022.155
Gecko, BK7 window double sided ARC, Rear Wall A, custom length up to 300mm	24.020.XXX
Gecko, BK7 window double sided ARC, Rear Wall C, custom length up to 300mm	24.022.XXX

Accessories:

Product	Image	Order No.	Product	Image	Order No.	Product	Image	Order No.
Air Nozzle	P. C.	50.100.025	Sun Roof Size S		20.010.001	Mounting Kit 6	To	5.060.000
2" Wind Curtain	0	50.100.010	Sun Roof Size M	1	20.010.002	Mounting Kit 7	24	5.070.000
Tube Wind Curtain 2"		50.100.017	Sun Roof Size L		20.010.003	Mounting Kit 9	all a	5.090.000
Pneumatic Shutter	and the second second	50.200.010	Corrugated Tube 28mm		20.000.006	Mounting Kit 10		5.100.000
Deflection Mirror 90°	N. A.	20.020.004	Orca Adapter	0	15.030.002	Mounting Kit 15	and the second second	5.150.000
Cooling Module	H	60.100.010	Mounting Kit 1	E.	5.010.000	Mounting Kit 16/16m	ĬĬ	5.160.000 5.160.000m
El. Heating Plate		70.100.018	Mounting Kit 2	K)	5.020.000	Mounting Kit 17/17m	12	5.170.000 5.170.000m

